
Quiz 4 SHOW ALL WORK Nov 9, 2018

[15] 1.) Solve ty' + 4y = t

2.) Give that the solution to
$$\mathbf{x}' = \begin{bmatrix} 1 & 2 \\ 3 & 0 \end{bmatrix} \mathbf{x}$$
 is $\mathbf{x} = c_1 \begin{bmatrix} 1 \\ 1 \end{bmatrix} e^{3t} + c_2 \begin{bmatrix} -2 \\ 3 \end{bmatrix} e^{-2t}$

[7] 2a.) Graph the solution to the IVP
$$\begin{bmatrix} x_1(0) \\ x_2(0) \end{bmatrix} = \begin{bmatrix} -2 \\ 3 \end{bmatrix}$$
 in the




[3] 2b.) Graph the solution to the IVP $\begin{bmatrix} x_1(0) \\ x_2(0) \end{bmatrix} = \begin{bmatrix} 0 \\ 0 \end{bmatrix}$ in the



| 1 | | | | | | | |
|---|--|--|--|--|--|---|--|
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | _ | |


| - | - | 1 | L | - | _ | <u> </u> | L | L | - |
|---|---|---|---|---|---|----------|---|---|---|
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Τ | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| Τ | | | | | | | | | |
| Т | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | | | | | | | | |
| | | 1 | | | | | | | |


 x_1, x_2 -plane



[2] 2c.) The equilibrium solution for this system of equations is $\begin{bmatrix} x_1 \\ x_2 \end{bmatrix} = \begin{bmatrix} \\ \end{bmatrix}$.

- [3] 2d.) $\frac{dx_2}{dx_1} =$ _____
- [2] 2e.) Plot several direction vectors where the slope is 0 and where slope is vertical.





 t, x_2 -plane

 x_1, x_2 -plane

