

**Let  $G$  be a connected graph.**

If  $G =$   $=$  , then  $\kappa(G) =$

In all other cases:

$\kappa(G) =$  the size of a minimal vertex cut

$=$  the minimum number of vertices one can remove such that the resulting subgraph is disconnected.

---

Thm 2.4:  $\kappa(G) \leq \lambda(G) \leq \min\{\delta(v) \mid v \in V(G)\}$

Case 1: Suppose  $G = K_n$ , then  $\kappa(G) = = \lambda(G)$

Case 2: Let  $G$  be a graph such that  $\lambda(G) = k$

Let  $E^* = \{e_1, e_2, \dots, e_k\}$  be a minimal edge cut of  $G$ .

Claim:  $G - E^* = G_1 \cup G_2$  where  $G_i, i = 1, 2$  are the connected components of  $G - E^*$ .

Claim:  $e_i = \langle u_i, v_i \rangle$  where

$u_i \in V(G_1)$  and  $v_i \in V(G_2)$  for  $i = 1, \dots, k$ .

Let  $U^* = \{u_1, \dots, u_k\} \subset V(G_1)$ . Note  $|U^*| \leq k$ .

Let  $V^* = \{v_1, \dots, v_k\} \subset V(G_2)$ . Note  $|V^*| \leq k$ .

Case 2a:  $\exists u \in V(G_1)$  such that  $u \notin \{u_1, \dots, u_k\}$ .

Claim:  $u$  is not connected to  $v_1$  in  $G - U^*$ .

Thus  $G - U^*$  is disconnected and hence  $U^*$  is a vertex cut for  $G$ . Therefore  $\kappa(G) \leq k = \lambda(G)$ .

Case 2b:  $\exists v \in V(G_2)$  such that  $v \notin \{v_1, \dots, v_k\}$ .

Claim:  $v$  is not connected to  $u_1$  in  $G - V^*$ .

Thus  $G - V^*$  is disconnected and hence  $V^*$  is a vertex cut for  $G$ . Therefore  $\kappa(G) \leq k = \lambda(G)$ .

Case 2c:  $V(G_1) = U^* = \{u_1, \dots, u_k\}$  and  $V(G_2) = V^* = \{v_1, \dots, v_k\}$ .

Since  $G$  is not a complete graph,

$$\begin{aligned} \exists x, y \in V(G) &= \{u_1, \dots, u_k, v_1, \dots, v_k\} \\ &\text{such that } \langle x, y \rangle \notin E(G). \end{aligned}$$

WLOG assume  $x = u_1$ .

Let  $N(u_1) = \{u_{i_1}, \dots, u_{i_\ell}, v_{j_1}, \dots, v_{j_m}\}$   
where  $u_{i_s} \in U^*$  and  $v_{j_t} \in V^* \forall s, t$ .

Note  $x = u_1$  is not connected to  $y$  in  $G - N(u_1)$ .  
Thus  $N(u_1)$  is a vertex cut for  $G$ .

Claim  $|N(u_1)| = \delta(u_1) \leq k$ .

Define  $f : N(u_1) \rightarrow E^*$  by

$$f(v_{j_t}) = \langle u_1, v_{j_t} \rangle \text{ and}$$

$$f(u_{i_s}) = \langle u_{i_s}, v_p \rangle$$

where  $p = \min\{j \mid v_j \text{ is adjacent to } u_{i_s}\}$

Note  $f$  is a well-defined 1:1 function.

Thus  $|N(u_1)| \leq |E^*|$ .

$G = (V, E)$  is *k-connected* if removing any set of  $k - 1$  vertices in  $G$  does not disconnect it and  $G \neq$

$K_n$  is  $n$ -connected.

$k$  connected implies  $k - 1$  connected if  $k > 1$

connected = 1-connected

$\kappa(G) = \text{connectivity of } G = \max\{k \mid G \text{ } k\text{-connected}\}$  ■