

Thm 8': If A is a SQUARE $n \times n$ matrix, then the following are equivalent.

- a.) A is invertible.
- b.) The row-reduced echelon form of A is I_n , the identity matrix.
- c.) An echelon form of A has n leading entries
[I.e., every column of an echelon form of A is a leading entry column – no free variables]. (A square $\Rightarrow A$ has leading entry in every column if and only if A has leading entry in every row).
- d.) The column vectors of A are linearly independent.
- e.) $Ax = 0$ has only the trivial solution.
- f.) $Ax = b$ has at most one sol'n for any b .
- g.) $Ax = b$ has a unique sol'n for any b .
- h.) $Ax = b$ is consistent for every $n \times 1$ matrix b .
- i.) $Ax = b$ has at least one sol'n for any b .
- j.) The column vectors of A span R^n .
[every vector in R^n can be written as a linear combination of the columns of A].
- k.) There is a square matrix C such that $CA = I$.
- l.) There is a square matrix D such that $AD = I$.
- m.) A^T is invertible.
- n.) A is expressible as a product of elementary matrices.
- o.) The column vectors of A form a basis for R^n .
[every vector in R^n can be written uniquely as a linear combination of the columns of A].
- p.) $\text{Col } A = R^n$.
- q.) $\dim \text{Col } A = n$.
- r.) $\text{rank of } A = n$.
- s.) $\text{Nul } A = \{\mathbf{0}\}$,
- t.) $\dim \text{Nul } A = 0$.
- u.) A has nullity 0.
- v.) $\lambda = 0$ is NOT an eigenvalue of A